CORTEX CONFIG 6 – UPDATE INSTRUCTIONS

VERSION 6.3.3 | REVISION A

STEP 1 - INSTALL SOFTWARE

In recent years, Microsoft has made it more challenging to distribute "trusted" software. When you try to run the Cortex Config 6 installer, the Windows SmartScreen filter will likely flag it as potentially dangerous. To proceed with the installation, click the **"More info"** button in the SmartScreen window. Then, click the **"Run anyway"** button that appears at the bottom of the window.

Wind	ows protect	ted your P	С		×
Microsoft starting. R <u>More info</u>	Defender SmartScreer unning this app might	n prevented an unre put your PC at risk	ecognized	app from	
				Don't run	
Wind	ows protect	ted your P	С		×
Microsoft starting. R	Defender SmartScreer unning this app might	n prevented an unre put your PC at risk	cognized	app from	
App: Publisher:	cortex-config-installe Unknown publisher	er-6-3-3-beta.exe			

SIRHC Labs LLC - 2025

STEP 2 – UPDATE FIRMWARE

Connect the Cortex EBC USB cable to your laptop and launch the Cortex Config 6 software. When you try to establish a USB connection to the controller, a dialog box will appear, notifying you that a firmware update is required. Review the warning, then click **"Yes"** to proceed with the firmware update.

	×
?	The Cortex EBC device detected requires a firmware update to use this software version. Performing this update will initialize all Control Map, Vehicle Configuration, and Output Configuration settings. You will be required to create and transfer new files to your Cortex EBC after the update is complete. Are you sure you would like to update at this time?
	Yes No

The firmware update will proceed in three steps: updating the primary firmware, updating the display firmware, and erasing the memory. The progress of each step will be displayed at the bottom of the software window. If the update does not complete all three steps successfully, please contact us for further assistance.

Updating Device: Updating Primary Firmware	
Updating Device: Updating Display Firmware	
Updating Device: Initializing Memory	

Once the process is complete, a dialog box will appear to notify you that the update was successful.



STEP 3 - CREATE NEW FILES

Establish a USB connection with the Cortex EBC. Create a new Boost Configuration File and transfer it to the device.

==	Cortex Config 6.3.3 Beta							_		×
E	ile <u>D</u> evice <u>L</u> ogger <u>A</u> dvanced									
	New Boost Configuration File	N	D .	Ð			Ð		•	
	Open Boost Configuration File	Ctrl+0 ^v		\odot	•	0 0	18	<u>-</u> **		
ī	Save Boost Configuration File	Ctrl+S								
	Save Boost Configuration File As									
	Preferences									
	E <u>x</u> it									

Cortex Config 6.3.3 Beta		>	×
<u>File Device Logger Advanced</u>			
сомз 🔽 🖒 🕒 🗎			
Boost Configuration File	Write Boost Configuration	n File to Cortex EBC (F4)	

Open the Vehicle Configuration window, create a new file, and transfer it to the device.

Cortex Config 6.3.3 Beta	—	
<u>File Device Logger Advanced</u>		
COM3 C 🗘 🕒 🗄 🕼 🐼 🙆 📶 🖀		
Boost Configuration File	Configuration	(F5)
New Open Save Read Write Done New Open Save Read Write Done		
×		
Write Vehicle Configuration settings to Cortex EBC?		
Yes No		

Open the Output Configuration window, create a new file, and transfer it to the device.



N	lew Open Save Read Write Done
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~

